



BS

ELEVATORS

Contact : 97411 09652

Gmail : bselevators22@gmail.com



Home Lifts

About us :

BS Elevators manufacture a wide range of passengers & home elevators for Residential, Commercial, Shopping Complex, Multiplex, Hospitals and also for Industrial usage. whatever our customers need we have a solutions to adapt to the space in terms in terms of technology, design, reliability and efficiency. The components that we use in our elevator systems is engineered using the latest technology right from electronic control system to mechanical safety components. BS Elevators promises you that we built entire elevator with quality, reliability and durability, we have Engineers and technicians who are technically experienced and will give best in promotion of best quality, safety standards, delivery commitments and good customer service

Features :

- ☆ High Level Accuracy Program for Smooth & Jerk free Stopping
- ☆ Full Length Infra-red Screen Sensor (Child Safety)
- ☆ Integrated Controller System & Traction Protecting Preventer
- ☆ 3 Level Safety Circuit Provided to Prevent the over travel
- ☆ Automatic Rescue Device
- ☆ Feather Touch Lop-Cop
- ☆ Floor Annunciator
- ☆ Biometric Access Control - Lop & Cop

Our Services :

We offer you quick turn - around service with committed response system, our service team is always on high alert mode & Field engineers fix the toughest problems on a fast - track mode our systemized services i.e reliability durability service ability within the time line.

MS Doors :



SS Auto Doors :



SS Glass & MS Swing Doors




Structure Cabin :




Goods Cabin :



Cabin Falceeling :



Machine Room Elevator :



Description	Machine Room
Traction	Geared
Speed	0.63 - 1.00 m/s
Power Consumption	5 unit / hr (approx)
Oil Maintenance	yes
Break Type	Drum
Roping	1 : 1
Machine room	2100 mm
Overhead	4500
Pit	1500

International Standard Dimensions

Capacity	Load	Shaft Size		Car Size		Entrance
PC	KG	SW	SD	CW	CD	CO
4	300	1500	1350	1100	800	700
5	375	1500	1500	1100	1000	700
6	450	1650	1500	1200	1000	700
8	600	1650	1800	1200	1300	700
10	750	1800	2000	1400	1400	800
13	975	2100	2000	1400	1800	900
16	1200	2400	2400	1400	2100	1000

PC - Passenger Capacity | KG - Kilogram | SW - Shaft Depth | CW - Car Width | CD - Car Depth | CO - Clear Opening

Hydraulic Elevator :



Description	Hydraulic
Machine	DC Motor
Function Type	Oil Pumping
Speed	0.5 m/s
Power Consumption	3 unit / hr (approx)
Oil Maintenance	Yes
Break Type	Automatic Hydraulic Valve
Roping	1:1
Overhead	3500 mm
Pit	1500 mm

International Standard Dimensions

Capacity	Load	Shaft Size		Car Size		Entrance
PC	KG	SW	SD	CW	CD	CO
4	300	1700	1200	1100	800	700
5	375	1700	1400	1100	1000	700
6	450	1800	1400	1200	1000	700
8	600	1800	1650	1200	1300	700
10	750	2100	1800	1400	1400	800
13	975	2100	2100	1400	1800	900
16	1200	2400	2400	1400	2100	1000

PC - Passenger Capacity | KG - Kilogram | SW - Shaft Depth | CW - Car Width | CD - Car Depth | CO - Clear Opening



Head Office : GF-4, Sree Sai Paradise, # 260
Uttarahalli Main Road, Bengaluru-560061
Branch Office : # 19-3-1/B6/4D, Kanika
Siddaiah Colony, 2nd Street, Near Ambedkar
Global Law College, Tirupati-517501

Machine Room Less Elevator :



Description	Machine Room
Traction	Gearless
Speed	1.00 – 1.75 m/s
Power Consumption	3 unit / hr (approx)
Oil Maintenance	No
Break Type	Disc
Roping	2 : 1
Machine room	Nil
Overhead	4500
Pit	1500

International Standard Dimensions

Capacity	Load	Shaft Size		Car Size		Entrance
PC	KG	SW	SD	CW	CD	CO
4	300	1700	1200	1100	800	700
5	375	1700	1400	1100	1000	700
6	450	1800	1400	1200	1000	700
8	600	1800	1650	1200	1300	700
10	750	2100	1800	1400	1400	800
13	975	2100	2100	1400	1800	900
16	1200	2400	2400	1400	2100	1000

PC - Passenger Capacity | KG - Kilogram | SW - Shaft Depth | CW - Car Width | CD - Car Depth | CO - Clear Opening